

March 2008 NeuroAID™ Newsletter

Dear Readers,

Welcome to Issue 7 of the NeuroAID™ Newsletter. Each month we are pleased to bring you some useful, relevant information for stroke survivors and their dear ones, as well as general updates on NeuroAID™.

In this month's issue you will be able to read about the following topics:


- A focus on smoking, one of the major stroke risk factor
- An easy and useful method to learn how to recognize a stroke early
- A special focus on the launch of NeuroAID™ 10 in the US
- Our latest testimony from one more stroke survivor who experienced the benefits of NeuroAID™

And we've got a \$20 discount for you to benefit from until 15th April!

Enjoy reading and do not hesitate to share with us your feedback and the topics you would like to read about in future newsletter issues.

If you're getting security warnings from your email program or if you're having trouble seeing the images in this email, please add us to your address book (this will help the emails come through without a hitch).

Smoking: A Poisonous Stroke Factor



We have all been told over and over that smoking kills, but we may not picture what it represents actually. Strokes are the third leading cause of death in the United States. Cigarette smoking is a major cause of strokes.

Cigarette smoking is directly linked to 30% of all heart disease deaths in the United States each year. Indeed, smoking is hard on the heart, and the toxins in cigarette smoke cause plaques to form in the arteries, which leads to atherosclerosis; arteries progressively harden because of the deposit of fatty plaques and the scarring and thickening of the artery wall. Inflammation of the artery wall and the development of blood clots can obstruct blood flow and cause heart attacks or strokes. Heavy smokers have a relative risk of stroke 2 to 4 times greater than non-smokers.

And what is worse; not only smokers put themselves at risk, but they also threaten other's health. Cigarette smoke does not just affect smokers. People around smokers are also at risk for developing health problems, especially children that are much more fragile than adults. Passive smoke (also called second-hand smoke) affects people who are frequently around smokers. According to the American Heart Association estimates, each year about 37,000 to 40,000 people die from heart and blood vessel disease caused by other people's smoke.

But there is a positive point to underline: **it is never too late to stop smoking!** There are clear health benefits from giving up, regardless of how much you smoke, how affected your health, or your age when you stop. Quitting smoking will reduce your risk of high blood pressure, peripheral artery disease and stroke. To push up your decision to stop smoking, you should know that the risk of stroke decreases steadily after smoking cessation. Former smokers have the same stroke risk as nonsmokers after 5 to 15 years. Better stop right now then and lower our risk to suffer a stroke! Overall, you will only feel healthier. Quit now, be free!


Learn How To Recognize A Stroke

With timely treatment, the risk of death and disability from stroke can be lowered. It is very important to know the symptoms of a stroke and act in time.

Stroke is a medical emergency. Know these warning signs of stroke and teach them to others. Every second counts:

- Sudden numbness or weakness of the face, arm or leg, especially on one side of the body
- Sudden confusion, trouble speaking or understanding
- Sudden trouble seeing in one or both eyes
- Sudden trouble walking, dizziness, loss of balance or coordination
- Sudden, severe headache with no known cause

**Call 9-1-1 immediately if you experience symptoms!
Time lost is brain lost!**



Easy test to diagnose a potential stroke:

Administrating 3 simple tests will help diagnose a stroke, or at least suspect it and take immediate action. The key word to remember is think **FAST**.

F = FACE	Ask the person to smile . Does one side of the face droop?
A = ARM	Ask the person to raise both arms . Does one arm drift downward?
S = SPEECH	Ask the person to repeat a simple sentence . Are the words slurred? Can the person repeat the sentence correctly?
T = TIME	If the person shows any of these symptoms, time is important. Call emergency services (911) or get to the hospital fast. Brain cells are dying.

Once you have learnt to recognize stroke symptoms, do not hesitate to educate others and save lives!

Recent NeuroAID™ Story



Anil Kumar Gupta (India, Bangalore)
Started NeuroAID™ 6 months after ischaemic stroke

"I suffered a ischemic stroke at the age of 38 in may 2007, which left me completely hemiplegic on the left side. I have first heard of NeuroAID™ on the internet and decided to give it a try in November 2007, I have now completed two months treatment and will soon start my third month.

I have made some positive progress in terms of better control of my limbs. Shoulder in lying position is much better. Leg is also improving slowly. I have not yet had any improvements in my left hand finger and left toes. I hope continued treatment of NeuroAID™ and physio will bring them back also.

I had started to have some nail deformity in left hand fingers which are almost back to normal over the past weeks with NeuroAID™ treatment

Overall, I have to give a big thanks to NeuroAID™ and my physiotherapist. Physiotherapy and NeuroAID™ seems to work quite well together. Also I did not observe any side effect. Along with NeuroAID™, I am also taking some homeopathic medicines together with my anticoagulant medicines and other allopathic drugs."

NeuroAID™10 is now available at major online retailer and shipped locally

You can purchase it from:

- [AMAZON](#)
- [The Consumer Link](#)

NeuroAID™10 has been launched on March 5th in the US market to support patients' neurological functions. NeuroAID™10 is derived from NeuroAID™ and is a combination of ten all-natural ingredients. A growing number of Americans have already started using NeuroAID™ regularly with positive results on their neurological functions. "As we received an increasing number of requests from individuals in US to make NeuroAID™ available locally, we have engineered a new formulation which is marketed as NeuroAID™10 in the US, a dietary supplement to help support the neurological functions. NeuroAID™10 is an herbal natural dietary supplement, containing the 10 main ingredients of NeuroAID™, carefully selected and manufactured with the same stringent process as NeuroAID™" said David Picard, Moleac CEO. Ruth Lycke, a stroke survivor and the author of "Hope, Help and Healing", said "I am thrilled to see NeuroAID™ now available locally after having benefited myself from the treatment in China". NeuroAID™10 does not contain any

of the animal based ingredients of NeuroAID™ which were considered as secondary in the original formulation. A robust distribution system has been established in the US with Suresource, an American drug distributor. NeuroAID™10 can be purchased at www.neuroaid10.com or at www.amazon.com.

For the month of March we would like to present you with an **introductory offer of 10% discount**. If you would like to seize this one-time offer, place your order now by:

Order by Phone
Call **1-800-421-1223** now
Operations 8am-8pm EST

or

Order Online
Click Here



Your March 2008 NeuroAID™ Coupon

To celebrate the launch of NeuroAid10 in the US, Moleac is glad to grant you a **\$15** coupon for the purchase of a **NeuroAid™** or **NeuroAid™10** treatment.

Just enter this code when ordering on our website or mention it to our customer care dedicated team: **NA10MAY08**

This offer is available up to April, 15 th 2008

NeuroAID™

[Home](#) | [About NeuroAID™](#) | [NerouAID™ Testimonials](#) | [About Moleac](#)

 [Subscribe to our Newsletter](#)



©2007 Moleac. All right reserved.